

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	314	714/723.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 11:50
L2	2766	714/718.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 11:50
L3	61	714/699.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 11:50
L4	106	714/9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 11:51
S37	103	(analy\$3 with data with (wri\$4 or record\$3) with CD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 17:51
S38	1	(analy\$3 with data with (wri\$4 or record\$3) with CD with defect\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 17:52
S39	8	((detect\$3 or find\$3) with data with (wri\$4 or record\$3) with CD with defect\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 17:53
S40	9	((detect\$3 or find\$3 or identif\$7) with data with (wri\$4 or record\$3) with CD with defect\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 17:55
S41	0	((detect\$3 or find\$3 or identif\$7) with data with ("to" adj "be" adj (wri\$4 or record\$3)) with CD with defect\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 17:56

S42	0	((detect\$3 or find\$3 or identif\$7) with data with ("to" adj "be" adj (wri\$4 or record\$3)) with defect\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 17:57
S43	12	((detect\$3 or find\$3 or identif\$7) with data with (((("to" adj "be") or previous or before) adj (wri\$4 or record\$3)) with defect\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:10
S44	0	(split\$3 or divid\$3) with data with range\$1 with writ\$3 with CD with defect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:11
S45	0	(split\$3 or divid\$3) with data with writ\$3 with CD with defect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:12
S46	0	(split\$3 or divid\$3) with packet with writ\$3 with CD with defect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:12
S47	1	breakpoint\$1 with packet with writ\$3 with CD with defect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:13
S48	0	divid\$3 with packet with writ\$3 with CD with defect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:13
S49	0	divid\$3 with data with writ\$3 with CD with defect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:13
S50	46	divid\$3 with data with writ\$3 with CD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:15
S51	0	(divid\$3 with data with writ\$3 with CD) same defect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:15

S52	1	((divid\$3 or split\$4) with data with writ\$3 with CD) same defect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:16
S53	1	breakpoint\$1 with data with defect\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:29
S54	534	(divid\$3 or split\$4) with data with defect\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:17
S55	49	(divid\$3 or split\$4) with data with defect\$1 with writ\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:17
S56	1	((divid\$3 or split\$4) with data with defect\$1 with writ\$4) same CD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:18
S57	24	((divid\$3 or split\$4) with data with defect\$1 with writ\$4) same record\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:18
S58	1	breakpoint\$1 with data with (defect\$1 or bad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:29
S59	529	divid\$3 with data with (defect\$1 or bad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 20:46